Cola


METRC Batch: ; METRC Sample: Sample ID: 2403PHS0387.1263 Strain: Cola Matrix: Plant Type: Flower - Cured

Sample Size: ; Batch:

Produced: Collected: Received: Completed: 03/18/2024 Batch#:

Producer **TED.Approved** Lic.# 181 W Huntington Monrovia, CA 91016

Thrive Flower LLC



Summary

Test

Cannabinoids

Pass

22.053%	Approximation of the control of the		A STATE OF S	23.189% Total Cannabinoids	
Total THC		Total CBD			
	LOD	100	Results	Results	
	n:s/s 0.01	SEE STATE OF THE SEE ST	%	mg/g	
	0.01	0.07	24.891	248.91	
	001	337	0.224	2.24	
	0.03	0.50	ND 0.123	ND 122	
	091	0.10	0.123 ND	1.23 ND	
	561	0.03	ND	ND ND	
	ā.c.)	0.01	ND	ND ND	
	001	C.O.	ND	ND	
	0.01		ND	ND	
	001	0.10	ND	ND	
BGa	10.0	O.C.	1.172	11.72	
BG		0.10	ND	ND	
	0.01	0.10	ND	ND	
aR,9S)-d10-THC	0.01	0.01	ND	ND	
SaR,9R)-d10-THC	0.01	10.0	ND	ND	
otal THC			22.053	220.530	
otal CBD			ND	ND	
otal			26.410	264.10	

Notes:

Total THC = (THCa * 0.877) + Δ 9-THC; Total CBD = (CBDa * 0.877) + CBD LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR \$5724 Microbial; qPCR, SOP 6.05, 16 CCR \$5720 Foreign Material; SOP 2.02 16 CCR \$5722, %H2O and WA: Moisture Salance, Notronies SOP 6.07 55717





Rkeledj

Raquel Keledjian Lab Director 03/18/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law, Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledijian